

# Woodland Eco Tower - Dingle (Plastic Tube Slide)

WD/DIN



## Play Value

Agility

Balancing

Climbing

Coordination

Hanging

Jumping/Stretching

Natural Play

Roleplay/Imaginative

Sliding

Social

Swinging

Training

## Materials & Guarantees


|                                         |
|-----------------------------------------|
| Timber Poles (Out of Ground) - 20 Years |
| Steel Ground Fixings - 20 Years         |
| Structural Stainless Steel - 25 Years   |
| Sawn Timber - 15 Years                  |
| Colour Coated Steelwork - 5 Years       |
| Compact Grade Laminet - 5 Years         |
| Plastic Slides - 5 Years                |
| Bolts - 10 Years                        |
| Plastic Components - 5 Years            |
|                                         |
|                                         |
|                                         |

An exhilarating unit designed to captivate children with its thrilling 1.9m high tower and an engaging climbing module offering an exciting challenge for those seeking adventure.

# WOODLAND ECO TOWERS

**Playdale™**  
Playgrounds

## Fixing Options



## Roof Options



## Equipment Dimensions

|                         |                    |
|-------------------------|--------------------|
| Length / Width / Height | 4.9m x 2.8m x 3.7m |
|-------------------------|--------------------|


## Surfacing and Area Required

|                           |                    |
|---------------------------|--------------------|
| Recommended Minimum Space | 8.6m x 6.6m x 4.9m |
| Max Gradient of Ground    | 1 in 50            |
| Free Height of Fall       | 1.9m               |
| Synthetic Surfacing Area  | 31m <sup>2</sup>   |
| Loosefill @ 250mm Depth   | 9.75m <sup>3</sup> |
| Grasslok (1m x 1m Tiles)  | 43.5m <sup>2</sup> |

## Installation Information

|                   |                    |
|-------------------|--------------------|
| Installation Time | 2 Persons 11 Hours |
| Overall Weight    | 358kg              |
| Heaviest Part     | 72kg               |
| Largest Part      | 4.2m x 1.1m x 1m   |
| Longest Part      | 4.2m               |
| Concrete Required | 0.6m <sup>3</sup>  |

Plan View



EN1176  
Impact Area

Recommended  
Minimum Space

Free  
Space

Synthetic  
Surfacing

Side Elevation

