

Woodland Eco Tower - Holt (Plastic Slide)

WD/HOL



Play Value

Agility

Balancing

Climbing

Coordination

Hanging

Jumping/Stretching

Natural Play

Roleplay/Imaginative

Sliding

Social

Swinging

Training

Materials & Guarantees

Timber Poles (Out of Ground) - 20 Years
Steel Ground Fixings - 20 Years
Structural Stainless Steel - 25 Years
Sawn Timber - 15 Years
Colour Coated Steelwork - 5 Years
Compact Grade Laminet - 5 Years
Plastic Slides - 5 Years
Bolts - 10 Years
Plastic Components - 5 Years

Experience the all-in-one playground joy with The Holt! This single-play tower combines essential and simplified climbing and sliding features ensuring endless enjoyment for all ages.

WOODLAND ECO TOWERS

Playdale™
Playgrounds

Fixing Options



Roof Options



Equipment Dimensions

Length / Width / Height	4.9m x 1.8m x 2.9m
-------------------------	--------------------


Surfacing and Area Required

Recommended Minimum Space	8.8m x 5.4m x 4.1m
Max Gradient of Ground	1 in 50
Free Height of Fall	1.1m
Synthetic Surfacing Area	28m ²
Loosefill @ 250mm Depth	9.5m ³
Grasslok (1m x 1m Tiles)	39.5m ²

Installation Information

Installation Time	2 Persons 13 Hours
Overall Weight	294kg
Heaviest Part	32kg
Largest Part	2.4m x 0.6m x 0.5m
Longest Part	2.9m
Concrete Required	0.6m ³

Plan View




EN1176
Impact Area




Recommended
Minimum Space



Free
Space



Synthetic
Surfacing



Side Elevation

